

Price list

2020 (only for non-EU countries)



**Open-air cinema? Drive-in movie? Public screening?
Mega advertising space? Outdoor presentations?**

The fast and professional solution for building large projection surfaces for short-term use is provided by our inflatable screens.

The EASY models are available from 5m to 10m (16.4ft to 32.8ft) screen width. EASY models are Ideal for small and medium number of viewers.

Inflatable projection setup:

- high-frequency-welded frame structure with two eyelet rows (front side and back side)
- strong theatrical wrinkle-free front projection screen surface (Alfresco by Harkness™)
- black coated screen back side for higher contrast and no disturbing lights
- black screen ties
- anchoring belts with double locker and certificate
- blower for inflation and pressure measurement (automatic refilling)
- over pressure valve
- connecting hose
- English manual



All models have in common:

- ✓ simple and fast construction
- ✓ stability during the event – even in the wind
- ✓ uncomplicated removal
- ✓ fast and economical transport
- ✓ sophisticated concept with rich accessories for (almost) any event.
- ✓ inflatable frame is made in Germany
- ✓ constructed with industry and product know-how since 1996



Price list

2020 (only for non-EU countries)



**Open-air cinema? Drive-in movie? Public screening?
Mega advertising space? Outdoor presentations?**

The fast and professional solution for building large projection surfaces for short-term use is provided by our inflatable screens.

The PRO models are available from 12m to 20m (39.3ft to 65.6ft) screen width: ideal for large open-air cinema and drive-in events.

Inflatable projection setup:

- high-frequency-welded frame structure with two eyelet rows (front side and back side)
- strong theatrical wrinkle-free front projection screen surface (Alfresco by Harkness™)
- black coated screen back side for higher contrast and no disturbing lights
- black screen ties
- anchoring belts with double locker and certificate
- blower for permanent inflation
- special drive-in versions with higher bottom picture line
- connecting hose
- English manual

All models have in common:

- ✓ simple and fast construction
- ✓ stability during the event – even in the wind
- ✓ uncomplicated removal
- ✓ fast and economical transport
- ✓ sophisticated concept with rich accessories for (almost) any event.
- ✓ inflatable frame is made in Germany
- ✓ constructed with industry and product know-how since 1996



Sizes and prices for complete inflatable screen setups.

Model	Feet (feet)			Metric (cm)			screen format	Maximal number of viewers	Price (USD)
	screen width	screen height	screen off the ground	screen width	screen height	screen off the ground			
EASY 500	16,4 ft	9,2 ft	5,7 ft	500 cm	280 cm	175 cm	16:9	100	\$ 5.300,00
EASY 725	23,8 ft	13,4 ft	5,7 ft	725 cm	410 cm	175 cm	16:9	300	\$ 10.000,00
EASY 1000	32,8 ft	18,4 ft	5,7 ft	1000 cm	560 cm	175 cm	16:9	1000	\$ 13.500,00
PRO 1200	39,3 ft	19,7 ft	9,7 ft	1200 cm	600 cm	295 cm	2:1	1500	\$ 21.800,00
	39,3 ft	22,1 ft	7,2 ft		675 cm	220 cm	16:9		\$ 22.300,00
PRO 1600	52,5 ft	26,2 ft	10,5 ft	1600 cm	800 cm	320 cm	2:1	3000	\$ 33.600,00
	52,5 ft	29,5 ft	7,2 ft		900 cm	220 cm	16:9		\$ 34.000,00
PRO 2000	65,6 ft	32,8 ft	11,3 ft	2000 cm	1000 cm	345 cm	2:1	5000	\$ 57.200,00
	65,6 ft	36,9 ft	7,2 ft		1125 cm	220 cm	16:9		\$ 57.700,00

We produce in metric sizes in accordance with German DIN standard, all imperial sizes are rounded. All sizes and weights may differ based on temperature or production deviations.

Remarks

- airscreen Corporation offers its goods and services in many countries of the world, but not in the European Union.
- Prices are valid from 2020-08-15
- Prices are net, ex works (warehouse 49401 Damme, Germany)
- Setup includes inflatable frame, front projection screen surface, screen ties, belts and ratchets and blower (110V AC/60Hz, 230V AC/50Hz)
- 2-year warranty against defects in materials and workmanship
- For PRO models a set-up training is mandatory (not included in the price)
- Fixing systems (e.g. ground anchors) and transport cases available upon request
- Individual frame colors upon request
- Technical specifications are subject to change without notice
- Please expect 3 weeks production time, if specific model is not available.